**Copies of references not provided at the time of this submission.

RECEIVED



Page 1 of 1

NOV 2 0 2002

CHANGE GENERAL	KA9 U	.S. Department of Commerce	TECH CENTER 16	0/2900 _{Attorney Docket}	No.		Serial No.	
Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT			17633/1082 09/927,738					
				Applicant(s):. Tongv	ven Wang			
				Filing Date: August 10, 2001			Group: 1645 1646	
U.S. PAT	ENT DO	OCUMENTS						
Examiner Initial		Patent No.	Date	Name	Class	Subclass	Filing Date (if appropriate)	
cur	1.	6,139,837	Oct. 31, 2000	Bandman, et al.	-42 4	94.1	Sep. 9, 19	98
			<u> </u>					
FOREIGN	PATE	NT DOCUMENTS		· · · · · · · · · · · · · · · · · · ·				
Examiner Initial		Document No.	Publication Date	Country	Class	Subclass	Transla]
cus	2.	WO 99/57132	11 Nov. 1999	PCT	CONH	21/04	YES X	NO
an	3.	WO98/53066	26 November 1998	PCT	C12N	15/1/2	X	
			hor, Title, Date, Pertiner	<u> </u>	(121)	13/12		<u> </u>
OTHER	•	1			22. D. 4-1		(2000)	
Cuv	4. Kawakami, T. et al.,; "NEDO human cDNA Sequencing Project"; <u>Database Genbank</u> ; (2000) Accession: AK000340.						Α.	
	5.	Nagase, et al.; "Prediction of the Coding Sequences of Unidentified Human Genes. XIII. The Complete Sequences of 100 New cDNA Clones from Brain Which Code for Large Proteins in vitro"; (1999); DNA Research; 6: 63-70.						
	6.	Nagase, et al.; "Prediction of the Coding Sequences of Unidentified Human Genes. XVIII. The Complete Sequences of 100 New cDNA Clones from Brain Which Code for Large Proteins in vitro"; (2000); DNA Research; 7: 273-281.						
	7.	Osman, et al.; "Identification and Characterization of a Smad2 Homologue from Schistosoma mansoni, a Transforming Growth Factor-\beta Signal Transducer"; (2001); The Journal of Biological Chemistry; Vol. 276, 13: 10072-10082.						
	8.	Gruendler, et al.; "Proteasomal Degradation of Smad1 Induced by Bone Morphogenetic Proteins"; (2001); The Journal of Biological Chemistry; Vol. 276, 49: 46533-46543.						
	9.	Liu, et al.; "A novel ability of Smad3 to regualte proteasomal degradation of a Cas family member HEF1"; (2000); The EMBO Journal; Vol. 19, 24: 6759-6769.						
	10.	Hillier, et al.; "Generation and Analysis of 280,000 Human Expressed Sequence Tags"; (1996); Genome Research; 6: 807-828.						
11. PCT International Search Report for International Application No.: PCT/US00/03561 dated 28 January 2002.								
EXAMINI	EXAMINER Clau M. les				DATE CONSIDERED 12/2/63			
*EXAMINER: In next communication	uitial if referen	nce considered, whether or not citationt.	n is in conformance with MPEP 609. D	raw line through citation if not in	conformance and	not considered.	Include copy of this	form with

USPTO Form 1449 U.S. Department of Commerce Patent and Trademark Office			OIPE	Attorney Docket No.		TECH CENTER: 1600/2900		
INFORM	ATION	DISCLOSURE STAT	EMENT (2)	17633/10	082		09/927,738	
			JUN 2 4 2002 0	Applicant(s):. Tong	gwen Wang	<u></u>		<u> </u>
አ			Filing Date: August 10, 2001		Group: 1645/64		5164	
U.S. PAT	ENT D	OCUMENTS	PRADEMARY			_		- · · · · · · · · · · · · · · · · · · ·
Examiner Initial		Patent No.	Date	Name	Class	Subclass	Filing (if appro	
FODEIGN	JDATE	NT DOCUMENTS						
Examiner Examiner	NPAID	Document No.	Date	Country	Class	Subclass	Translation	
Initial			OURATE		;	}	YES	NO
	1	WO 98/53066	November 26, 1998	manusiasian December de la constitución de la const	CI2N	15/12		TO SERVICE STREET, STR
OTHED I	OCTIM		or, Title, Date, Pertinen	of Pages etc.)		1		
cw	2	 Abdollah, et al., "TBRI Phosphorylation of Smad2 on Ser⁴⁶⁵ and Ser⁴⁶⁷ Is Required for Smad2-Smad4 Complex Formation and Signaling", Journal of Biological Chemistry, 272, (1997): 27678-27685. Baker, J. & Harland, R.M., "A Novel Mesoderm Inducer, Madr2, Functions in the Activin Signal Transduction Pathway", Genes and Development, 10, (1996): 1880-1889. Chen, Y., et al., "Regulation of Transforming Growth Factor Beta- and Activin-Induced Transcription by Mammalian Mad Proteins", PNAS-Proceedings of the National Academy of Sciences, 93, (1996): 12992-12997. Chen, X., et al., "Smad4 and FAST-1 in the Assembly of Activin-Responsive Factor", Nature, 389, (1997): 85-89. 						
	3							
	4							
	5							
	6	de Caestecker, M.P., et al., "Characterization of Functional Domains within Smad4 / DPC4", Journal of Biological Chemistry, 272, (1997), 13690-13696.						urnal
	7	Dennler, S., et al., "Direct Binding of Smad3 and Smad4 to Critical TGF-Inducible Elements in the Promoter of Human Plasminogen Activator Inhibitor-Type 1 Gene", <i>Embo Journal</i> , 17, (1998): 3091-3100.						
	8	Hata, A., et al., "Mutations Increasing Autoinhibition Inactivate Tumour Supressors Smad2 and Smad4", Nature, 388, (1997): 82 – 87.						
	9	Kim, J., et al., "Drosophila Mad Binds to DNA and Directly Mediates Activation of Vestigial by Decapentaplegic", <i>Nature</i> , 388, (1997): 304-308.						
	10	Kretzschmar, M., et al., "The TGF-Beta Family Mediator Smad1 is Phosphorylated Directly and Activated Functionally by the BMP Receptor Kinase", Genes and Development, 11, (1997): 984-995.						
	11	Lagna, G., et al., "Par Pathways", Nature, 3	rtnerships Between DP0 83, (1996): 832-836.	C4 and SMAD Pro	teins in TG	F-Beta Sig	nalling	
arl	12	Liu, F., et al., "A Hui 381, (1996) 620-623.	nan Mad Protein Acting	g as a BMP-regula	ted Transcr	iptional Ac	ctivator", No	iture,

OIPE	victas	•	Page 2 of 2 JUN 2 6 2002				
JUN 2 4 20	das so		TECH CENTER 1600/2900				
COLMOEN RET 13		Macias-Silva, M., et al., "MADR2 is a Substrate of the TGFbeta Receptor and Its Phosphorylation is Required for Nuclear Accumulation and Signaling", Cell, 87, (1996): 1215-1224.					
	14	Schutte, M., et al., "DPC4 Gene in Various Tumor Types", Cano	cer Research, 56, (1996): 2527-2530.				
	15	Souchelnytskyi, S., et al., "Phosphorylation of Ser ⁴⁶⁵ and Ser ⁴⁶⁷ in the C Terminus of Smad2 Mediates Interaction with Smad4 and is Required for Transforming Growth Factor-Beta Signaling", Journal of Biological Chemistry, 272, (1997): 28107 – 28115.					
	16	Yingling, J. M., et al., "Tumor Suppressor Smad4 is a Transforming Growth Factor Beta-Inducible DNA Binding Protein", <i>Molecular and Cellular Biology</i> , 17, (1997): 7019-7028.					
	17	Wu, R. Y., et al., "Heteromeric and Homomeric Interactions Correlate with Signaling Activity and Functional Cooperativity of Smad3 and Smad4/DPC4", Molecular and Cellular Biology, 17, (1997): 2521-2528.					
2	18	Zawel, L., et al., "Human Smad3 and Smad4 are Sequence-Specific Transcription Activators", Molecules and Cells, 1, (1998): 611-617.					
au	19	Zwickl, P., et al., "Critical Elements in Proteasome Assembly", Nature Structural Biology, 1, (1994): 765-770.					
EXAMIN	VER O	law M. Kay	DATE CONSIDERED 12/2/03				
*EXAMINER:	Initial if refere	ance considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in o	conformance and not considered. Include copy of this form with				

*EXAMINER: Initial if reference considered, next communication to Applicant.

**Copies of references not provided at the time of this submission.